




# ONIX<sup>®</sup>

Types of  
Support



Dots


## CONCEPT

### Dots.

A high-quality thermoplastic support which guarantees a long lasting installation.


Soporte termoplástico de alta calidad para mosaico que garantiza una duradera y homogénea instalación.

Support thermoplastique de haute qualité pour mosaïque garantissant une installation durable et homogène.



PU.

Polyurethane.



PVC.

Polyvinyl Chloride.


## ADVANTAGES

### Great Grip.

The dot backing system allows up to 91% of surface free for the adhesive.


El soporte por puntos deja libre hasta el 91% de la superficie para adhesivo.

Le système de montage sur points laisse jusqu'à 91% de surface libre pour l'adhésion du ciment colle.



PU.

Polyurethane.



PVC.

Polyvinyl Chloride.

## ADVANTAGES

### Fast Installation.

The size of 12 x 18 tesserae and the ease of installation allows up to a 27% time saving during the installation.

El mayor tamaño de 12 x 18 teselas y la facilidad de colocación de las láminas permite un ahorro del 27% del tiempo durante la instalación.

La dimension des plaques 12 x 18 permet un gain de temps de 27% durant la pose.



# 27%

Time  
Saving



## ADVANTAGES

### High Resistance.

The dot backing is damp proof, so it can be stored outside and it will remain unaltered.

Este sistema por puntos es insensible a la humedad. Es posible almacenarlo en el exterior permaneciendo inalterable.

Ce système ne craint pas l'humidité. Le matériel peut donc être stocké à l'extérieur sans que celui-ci ne subisse aucunes altérations.



## ADVANTAGES

### Maximum Flexibility.

Full adaptability to any type of surface: corners, curved, irregular finishes...

Total adaptabilidad a cualquier tipo de superficie: esquinas, curvadas, acabados irregulares...

Adaptabilité totale à tout type de surface: angles, finitions courbes, irrégulières...




## ADVANTAGES

### Minimum Thickness.

An even thickness which conceals the surface of the grouting.

Un grosor homogéneo que se oculta por completo con el rejunte.

Une épaisseur homogène parfaitement cachée avec le rejoint du produit.



## ADVANTAGES

### Visual Control.

Unlike paper support, when you visualize the mosaic in the installation it is possible to create drawings and shapes.

Al contrario del soporte papel, al visualizar el mosaico en la instalación es posible crear dibujos y formas.

Contrairement au support papier, lorsque vous visualisez la mosaïque dans l'installation, il est possible de créer des dessins et des formes.



## ONIX MOSAICO

ONIX CERÁMICA, S.L.  
AV. Real de Extremadura 23  
12200 Onda (Castellón – SPAIN)  
T. +34 964 776 287  
F. +34 964 776 284  
M. [onix@onixmosaic.com](mailto:onix@onixmosaic.com)

## ONIX USA

ONIX USA, LLC  
9450 NW 12 Street  
33172 Miami (USA)  
P. 305 599 3153  
F. 305 513 4634  
M. [customerservice@onixmosaic.com](mailto:customerservice@onixmosaic.com)



ONIX

[onixmosaico.com](http://onixmosaico.com)